

Dick Anderson Construction Safety Orientation Test

2018

Employer (Print): _____

Name (Print): _____

Date: _____

1. Who is authorized and expected to stop an unsafe act or unsafe condition?
 - a. Superintendents
 - b. Co-worker
 - c. Yourself
 - d. All of above
2. All subcontractors on DAC projects are required to wear- durable long pants, t-shirt w/ standard 4" sleeve and_____?
 - a. Hard hat, safety glasses, reflective vest or Hi-Viz shirt, and safety toedboots
 - b. Hard hat and gloves
 - c. Safety Toed boots and safety glasses
 - d. Respirator, head lamp, and goggles
3. What is the main purpose of a Job Hazard Analysis (JHA)/Job Safety Analysis (JSA)?
 - a. Create more paperwork
 - b. Step by step of the work process, identifying the hazards and preventive measures
 - c. Creating hazards and eliminating preventive measures
 - d. Step by step of task and corrective actions for hazards
4. How often must you clean your work area?
 - a. Weekly
 - b. Monthly
 - c. Minimum daily, but more often if needed
 - d. Bi-weekly
5. What is the proper inspection process for scaffolding?
 - a. The complete system must be inspected prior to use and tagged with a green tag if ok to use
 - b. The complete system must be inspected prior to use and tagged with a yellow tag if ok to use with fall protection
 - c. The complete system must be inspected prior to use and tagged with a red tag if not approved for access
 - d. All of above
6. Fall protection anchorages must be able to support how many pounds per employee?
 - a. 250 lbs
 - b. 5000 lbs
 - c. 500 lbs
 - d. 1000 lbs

7. Ladders must be inspected prior to use, properly set up, secured and must extend ____ feet past the landing
 - a. 3'
 - b. 1'
 - c. 18"
 - d. 24"
8. What is the proper height for a standard guardrail/handrail?
 - a. 36" for top rail, 21" for mid rail and 4" toe board
 - b. 42" plus/minus 3" for top rail, 21" for mid rail and 4" toe board
 - c. 42" for top rail, 18" for mid rail and 4" toe board
 - d. No requirement height
9. Subcontractor can only use DAC equipment after written approval and proper insurance verification?
 - a. True
 - b. False
10. Damaged power tools, cords and connectors must be _____?
 - a. Red tagged and removed from job immediately
 - b. Throw away
 - c. Red tagged, properly repaired and re-inspected prior to use
 - d. A or C
11. Prior to working on DAC projects you must _____?
 - a. Have proper authorization to be on site
 - b. Check in with Superintendent for all site rules
 - c. Have completed orientation video
 - d. All of above
12. Failure to perform work in a safe manner may lead to disciplinary action?
 - a. True
 - b. False
13. All workers performing tasks involving respirable silica must follow Table I Exposure Controls set by OSHA?
 - a. True
 - b. False
14. Why do you work safe _____?

I hereby acknowledge that I have received, viewed, comprehended and successfully completed the Dick Anderson Construction safety policies, orientation video, and related test. I understand that Dick Anderson Construction reserves the right to make changes and interpretations, in its sole judgment, to company policies and procedures with or without notice. I agree to comply with these Dick Anderson Construction policies and procedures, and I understand the consequences of my failure to comply with such policies may result in disciplinary action up to and including removal from a work site.

Signature _____ Date: _____

Dick Anderson Construction Supervisor _____ Date: _____